

MNH73SO/A

Mac mini: Apple M2 Pro chip with 10core CPU and 16core GPU, 512GB SSD,Model A2816

Brand: APPLE

EAN: 194253330202

Warranty: 12 month(s)

Technical Specification

System	
System Type	Desktop Computer
System Form Factor	Ultra Compact Form Factor
Built-in Devices	Voice Control VoiceOver Zoom Increase Contrast Reduce Motion Siri and Dictation Switch Control Closed Captions Text to Speech
Processor	
CPU	Apple M2 Pro
CPU Core Quantity	10
CPU Installed Quantity	1
CPU Maximum Quantity Supports	1
Quantity of Mainboards Supported	1
Neural Engine Core Quantity	16
Memory	
Memory Capacity	16 GB
Memory Bandwidth	200 GB/s
Storage	
Storage	SSD 1x512 GB
Video Output	
Video Controller Form Factor GPU Core Quantity	Integrated 16

Video Memory Type	Shared Video Memory
Audio Output	
Audio Controller Form Factor	integrated
Speaker	
Audio Output Mode	Mono
Number of Speakers	1
Networking Specifications	
Networking Form Factor	Integrated
Data Link Protocol Supports	Gigabit Ethernet/Fast Ethernet/Ethernet
Interface Provided	
LAN	1 (RJ-45)
Headphones	1 (3.5-mm minijack)
Thunderbolt 4	4 (USB Type-C)
HDMI	1 (HDMI (Type A))
USB 3.1 Gen 2	2 (USB 3.1 (type A))
Software	
Installed Operating System	Apple macOS Ventura
Power	
Power Device Type	Power Supply
Power Device Location	Internal
Input Voltage	AC 100-240 V
Input Frequency	50/60 Hz
Power Device Installed Quantity	1
Power Device Maximum Quantity Supports	1
Maximum Output Power	185 W
Miscellaneous	
External Color	Silver
Audio/Video Features	Support native DisplayPort output over USBC Thunderbolt 2, HDMI, DVI, and VGA supported using

In the Box	adapters (sold separately) Hardware-accelerated H.264, HEVC, ProRes, and ProRes RAW Video decode engine Video encode engine ProRes encode and decode engine 3.5mm headphone jack with advanced support for high-impedance headphones Supported formats include HEVC, H.264, and ProRes HDR with Dolby Vision, HDR10, and HLG Supported formats include AAC, MP3, Apple Lossless, FLAC, Dolby Digital, Dolby Digital Plus, and Dolby Atmos HDMI port supports multichannel audio output Up to three displays: Two displays with up to 6K resolution at 60Hz over Thunderbolt and one display with up to 4K resolution at 60Hz over HDMI Up to two displays: One display with up to 6K resolution at 60Hz over Thunderbolt and one display with up to 4K resolution at 144Hz over HDMI One display with up to 8K resolution at 60Hz or 4K resolution at 240Hz over HDMI Support for one display with up to 8K resolution at 60Hz or 4K resolution at 240Hz Mac mini Power Cord Meets ENERGY STAR Requirements Mercury-Free
	PVC free BFR Free Beryllium-free 35% or more recycled plastic in multiple components 100% of virgin wood fiber comes from responsibly managed forests Apple's Zero Waste Program helps suppliers eliminate waste sent to landfill 100% recycled rare earth elements in all magnets 100% recycled gold in the plating of multiple printed circuit boards 100% recycled tin in the solder of multiple printed circuit boards 100% recycled aluminum in the enclosure of Mac mini with M2 and M2 Pro, and in the thermal module of Mac mini with M2 Pro All final assembly supplier sites are transitioning to 100% renewable energy for Apple production 96% fiber-based packaging and no outer plastic wrap
Dimensions & Weight Device	
Height (mm) Depth (mm) Width (mm) Nominal Weight	358 mm 197 mm 197 mm 1.28 kg

Warranty

Warranty Products Returnable	Yes
Warranty Term (month)	12 month(s)
Warranty Validation Criteria	Serial Number
Logistic	
Pack Weight Brutto (kg)	1.66 kg
Pieces in pack	1
Box Weight Brutto (kg)	1.66 kg
Packs in Box	1
EAN Code	194253330202

Please be informed that despite our best efforts we can't guarantee that published information and pictures do not contain deficiencies or errors that can not be legal basis for claims.