

MR7K3ZE/A

14-inch MacBook Pro: Apple M3 chip with 8core CPU and 10core GPU, 1TB SSD - Silver, Model A2918

Brand: APPLE

EAN: 195949015496

Warranty: 12 month(s)

Technical Specification

Р	ro	ഫ	99	or
	יטו	-	J	יטי

CPU Apple M3

CPU Core Quantity 8

Neural Engine Core Quantity 16

Chipset System on Chip (SoC)

Memory

Memory Capacity 8 GB

Memory Bandwidth 100 GB/s

Storage

Storage Capacity 1 TB SSD

Display

Diagonal Length 14.2"

Display Type LCD

Display Color Color

Maximum Resolution 3024x1964

Display Features Wide Color Gamut (P3)

True Tone technology 1600 Nits Peak Brightness 1000 nits Brightness Liquid Retina XDR Display

1 Billion Colors

ProMotion Technology 1.000.000:1 contrast ratio SDR brightness: 600 nits

Video Output

GPU Core Quantity 10

Networking Specifications

Wi-Fi IEEE 802.11a IEEE 802.11b

IEEE 802.11g

IEEE 802.11n Wi-Fi 4 IEEE 802.11ac Wi-Fi 5 IEEE 802.11ax Wi-Fi 6E

Bluetooth Bluetooth 5.3

Interface Provided

Thunderbolt/USB 4 2 (USB Type-C)

Headphones 1 (3.5-mm minijack)

HDMI 1 (HDMI (Type A))

System

System Type Notebook

Keyboard Features Backlit Keyboard

Ambient Light Sensor Force Touch Trackpad Magic Keyboard Force Click

Accelerators

Pressure-Sensitive Drawing Multi-Touch Gestures

Multi-Touch Gestures

Keyboard Localization International English

Touch Bar without Touch Bar

Built-in Devices Touch ID

Voice Control VoiceOver Zoom

Increase Contrast Reduce Motion Siri and Dictation Switch Control Closed Captions Text to Speech

Flash Types Supported SDXC

Audio/Video Features Support native DisplayPort output over USBC

Highfidelity sixspeaker system with

forcecancelling woofers Wide stereo sound

Support Thunderbolt 4 digital video output

Supported formats include HEVC, H.264, and ProRes

HDR with Dolby Vision, HDR10, and HLG

Supported formats include AAC, MP3, Apple Lossless, FLAC, Dolby Digital, Dolby Digital Plus, and Dolby

Atmos

Support for Spatial Audio when playing music or video

with Dolby Atmos on built-in speakers

HDMI digital video output

Simultaneously supports full native resolution on the

built-in display at 1 billion colors

Studioquality three-mic array with high signal-to-noise

ratio and directional beamforming Hardware-accelerated H.264, HEVC, ProRes, and

ProRes RAW

Video decode engine Video encode engine

ProRes encode and decode engine

Spatial audio with dynamic head tracking when using AirPods (3rd generation), AirPods Pro, and AirPods

Max

3.5mm headphone jack with advanced support for

high-impedance headphones

HDMI port supports multi-channel audio output

Hardware-accelerated ray tracing

AV1 decode

Advanced image signal processor with computational

video

One external display with up to 6K resolution at 60Hz

Included Accessories MacBook Pro

USB-C Power Adapter

USB-C to MagSafe 3 Cable (2 m)

External Color Silver

Features that Reduce Environmental Impact

Meets ENERGY STAR Requirements

Mercury-Free PVC free

Arsenic-Free Display Glass

BFR Free Beryllium-free

100% recycled aluminum enclosure

35% or more recycled plastic in multiple components 100% of virgin wood fiber comes from responsibly

managed forests

Apple's Zero Waste Program helps suppliers eliminate

waste sent to landfill

100% recycled rare earth elements in all magnets 100% recycled tin in multiple printed circuit boards 100% recycled gold in the plating of multiple printed

circuit boards

32% recycled or renewable content in the device Over 27% manufacturing electricity sourced from

supplier clean energy projects 99% fiber-based packaging

Over 40% emissions reduction against baseline

Software

Cable Included

Platform Compability Mac

Installed Operating System Apple macOS Sonoma

Power

Power Device Location External

Input Voltage AC 100-240 V

Input Frequency 50/60 Hz

Included Power Adapter Output Power	70 W
Power Port Connector Type	USB-C

Battery Technology	Lithium Polymer
--------------------	-----------------

Battery Installed Quantity 1

Maximum Battery Supported Quantity 1

Battery Current Capacity 70 WHr

Dimensions&Weight Device

Depth (mm)	221.2 mm
Height (mm)	15.5 mm
Width (mm)	312.6 mm
Nominal Weight	1.55 kg

Environment

Maximum Operating Ambient Temperature	35 °C
Minimum Operating Ambient Temperature	10 °C
Maximum Non-Operating Ambient Temperature	45 °C
Minimum Non-Operating Ambient Temperature	-25 °C
Max. Relative Humidity Non-Condensing	90 %
Min. Relative Humidity Non-Condensing	0 %
Max. Altitude Operating	10000 ft
Max. Altitude Storage	15000 ft
Max. Altitude Shipping	35000 ft

Warranty

Warranty Products Returnable	Yes
Wallally Floudols Netullable	100

Warranty Term (month) 12 month(s)
Warranty Validation Criteria Serial Number

Logistic

Entity Code	All
-------------	-----

Pack Weight Brutto (kg) 2.65 kg

1

Pieces in pack

Box Weight Brutto (kg) 2.65 kg

Packs in Box 1

Package Type Retail

EAN Code 195949015496

Please be informed that despite our best efforts we can't guarantee that published information and pictures do not contain deficiencies or errors that can not be legal basis for claims.