

MRW23ZE/A

16-inch MacBook Pro: Apple M3 Pro chip with 12core CPU and 18core GPU, 36GB, 512GB SSD - Space Black, Model A2991

Brand: APPLE

EAN: 195949074653

Warranty: 12 month(s)

Technical Specification

Р	ro	ce	SS	or
---	----	----	----	----

CPU Apple M3 Pro

CPU Core Quantity 12

Neural Engine Core Quantity 16

Chipset System on Chip (SoC)

Memory

Memory Capacity 36 GB

Memory Bandwidth 150 GB/s

Storage

Storage Capacity 512 GB SSD

Display

Diagonal Length 16.2"

Display Type LCD

Display Color Color

Maximum Resolution 3456x2234

Display Features Wide Color Gamut (P3)

True Tone technology 1600 Nits Peak Brightness 1000 nits Brightness Liquid Retina XDR Display

1 Billion Colors

1.000.000:1 contrast ratio SDR brightness: 600 nits

ProMotion technology for adaptive refresh rates up to

120Hz

Fixed refresh rates: 47.95Hz, 48.00Hz, 50.00Hz,

59.94Hz, 60.00Hz

Video Output

Networking Specifications

Wi-Fi IEEE 802.11a IEEE 802.11b

IEEE 802.11g

IEEE 802.11n Wi-Fi 4 IEEE 802.11ac Wi-Fi 5 IEEE 802.11ax Wi-Fi 6E

Bluetooth 5.3

Interface Provided

Thunderbolt/USB 4 3 (USB Type-C)

Headphones 1 (3.5-mm minijack)

HDMI 1 (HDMI (Type A))

System

System Type Notebook

Keyboard Features Backlit Keyboard

Ambient Light Sensor Force Touch Trackpad Magic Keyboard Force Click Accelerators

Pressure-Sensitive Drawing Multi-Touch Gestures

Keyboard Localization International English

Touch Bar without Touch Bar

Built-in Devices Touch ID

Voice Control VoiceOver Zoom

Increase Contrast Reduce Motion Siri and Dictation Switch Control Closed Captions Text to Speech

Flash Types Supported SDXC

Audio/Video Features Highfidelity sixspeaker system with

forcecancelling woofers Wide stereo sound

Studioquality three-mic array with high signal-to-noise

ratio and directional beamforming

Support Thunderbolt 4 digital video output

Spatial audio with dynamic head tracking when using AirPods (3rd generation), AirPods Pro, and AirPods

Max

3.5mm headphone jack with advanced support for

high-impedance headphones

Supported formats include HEVC, H.264, and ProRes

HDR with Dolby Vision, HDR10, and HLG

Supported formats include AAC, MP3, Apple Lossless, FLAC, Dolby Digital, Dolby Digital Plus, and Dolby

Support for Spatial Audio when playing music or video with Dolby Atmos on built-in speakers

HDMI digital video output

Simultaneously supports full native resolution on the built-in display at 1 billion colors

Support native DisplayPort output over USBC Hardware-accelerated H.264, HEVC, ProRes, and ProRes RAW

Video decode engine

Video encode engine

ProRes encode and decode engine

HDMI port supports multi-channel audio output Up to two displays: One display with up to 6K

resolution at 60Hz over Thunderbolt and one display

with up to 4K resolution at 144Hz over HDMI

One display with up to 8K resolution at 60Hz or 4K

resolution at 240Hz over HDMI

Support for one display with up to 8K resolution at

60Hz or 4K resolution at 240Hz Hardware-accelerated ray tracing

AV1 decode

Advanced image signal processor with computational

video

MacBook Pro

USB-C Power Adapter

USB-C to MagSafe 3 Cable (2 m)

Space Black

Meets ENERGY STAR Requirements

Mercury-Free PVC free

Arsenic-Free Display Glass

BFR Free Beryllium-free

100% recycled aluminum enclosure

35% or more recycled plastic in multiple components 100% of virgin wood fiber comes from responsibly

managed forests

Apple's Zero Waste Program helps suppliers eliminate

waste sent to landfill

100% recycled rare earth elements in all magnets

100% recycled tin in multiple printed circuit boards

100% recycled gold in the plating of multiple printed

circuit boards

36% recycled or renewable content in the device

100% recycled copper in the finstack of the heat sink

100% fiber-based packaging

41% emissions reduction against baseline

Cable Included

Included Accessories

External Color

Features that Reduce Environmental Impact

Software

Power

Power Device Location External

Input Voltage AC 100-240 V

Input Frequency 50/60 Hz

Included Power Adapter Output Power 140 W

Power Port Connector Type USB-C

Battery

Battery Technology Lithium Polymer

Battery Installed Quantity 1

Maximum Battery Supported Quantity 1

Battery Current Capacity 100 WHr

Dimensions&Weight Device

Depth (mm) 248.1 mm

Height (mm) 16.8 mm

Width (mm) 355.7 mm

Nominal Weight 2.14 kg

Environment

Maximum Operating Ambient Temperature 35 °C

Minimum Operating Ambient Temperature 10 °C

Maximum Non-Operating Ambient Temperature 45 °C

Minimum Non-Operating Ambient Temperature -25 °C

Max. Relative Humidity Non-Condensing 90 %

Min. Relative Humidity Non-Condensing 0 %

Max. Altitude Operating 10000 ft

Max. Altitude Storage 15000 ft

Max. Altitude Shipping 35000 ft

Warranty

Warranty Products Returnable Yes

Warranty Term (month) 12 month(s)

Logistic

Entity Code	All
Pack Weight Brutto (kg)	3.48 kg
Pieces in pack	1
Box Weight Brutto (kg)	3.48 kg
Packs in Box	1
Package Type	Retail
EAN Code	195949074653

Please be informed that despite our best efforts we can't guarantee that published information and pictures do not contain deficiencies or errors that can not be legal basis for claims.