



MRW63ZE/A

16-inch MacBook Pro: Apple M3 Pro chip with 12_core CPU and 18_core GPU, 36GB, 512GB SSD - Silver, Model A2991

Brand: APPLE

EAN: 195949075971

Warranty: 12 month(s)

Technical Specification

Processor

CPU	Apple M3 Pro
CPU Core Quantity	12
Neural Engine Core Quantity	16
Chipset	System on Chip (SoC)

Memory

Memory Capacity	36 GB
Memory Bandwidth	150 GB/s

Storage

Storage Capacity	512 GB SSD
------------------	------------

Display

Diagonal Length	16.2"
Display Type	LCD
Display Color	Color
Maximum Resolution	3456x2234
Display Features	Wide Color Gamut (P3) True Tone technology 1600 Nits Peak Brightness 1000 nits Brightness Liquid Retina XDR Display 1 Billion Colors 1.000.000:1 contrast ratio SDR brightness: 600 nits ProMotion technology for adaptive refresh rates up to 120Hz Fixed refresh rates: 47.95Hz, 48.00Hz, 50.00Hz, 59.94Hz, 60.00Hz

Video Output

Networking Specifications

Wi-Fi	IEEE 802.11a IEEE 802.11b IEEE 802.11g IEEE 802.11n Wi-Fi 4 IEEE 802.11ac Wi-Fi 5 IEEE 802.11ax Wi-Fi 6E
Bluetooth	Bluetooth 5.3

Interface Provided

Thunderbolt/USB 4	3 (USB Type-C)
Headphones	1 (3.5-mm minijack)
HDMI	1 (HDMI (Type A))

System

System Type	Notebook
Keyboard Features	Backlit Keyboard Ambient Light Sensor Force Touch Trackpad Magic Keyboard Force Click Accelerators Pressure-Sensitive Drawing Multi-Touch Gestures
Keyboard Localization	International English
Touch Bar	without Touch Bar
Built-in Devices	Touch ID Voice Control VoiceOver Zoom Increase Contrast Reduce Motion Siri and Dictation Switch Control Closed Captions Text to Speech
Flash Types Supported	SDXC
Audio/Video Features	Highfidelity sixspeaker system with forcecancelling woofers Wide stereo sound Studioquality three-mic array with high signal-to-noise ratio and directional beamforming Support Thunderbolt 4 digital video output Spatial audio with dynamic head tracking when using AirPods (3rd generation), AirPods Pro, and AirPods Max 3.5mm headphone jack with advanced support for

high-impedance headphones
Supported formats include HEVC, H.264, and ProRes HDR with Dolby Vision, HDR10, and HLG
Supported formats include AAC, MP3, Apple Lossless, FLAC, Dolby Digital, Dolby Digital Plus, and Dolby Atmos
Support for Spatial Audio when playing music or video with Dolby Atmos on built-in speakers
HDMI digital video output
Simultaneously supports full native resolution on the built-in display at 1 billion colors

Support native DisplayPort output over USB-C
Hardware-accelerated H.264, HEVC, ProRes, and ProRes RAW
Video decode engine
Video encode engine
ProRes encode and decode engine
HDMI port supports multi-channel audio output
Up to two displays: One display with up to 6K resolution at 60Hz over Thunderbolt and one display with up to 4K resolution at 144Hz over HDMI
One display with up to 8K resolution at 60Hz or 4K resolution at 240Hz over HDMI
Support for one display with up to 8K resolution at 60Hz or 4K resolution at 240Hz
Hardware-accelerated ray tracing
AV1 decode
Advanced image signal processor with computational video

Included Accessories

MacBook Pro
USB-C Power Adapter

Cable Included

USB-C to MagSafe 3 Cable (2 m)

External Color

Silver

Features that Reduce Environmental Impact

Meets ENERGY STAR Requirements
Mercury-Free
PVC free
Arsenic-Free Display Glass
BFR Free
Beryllium-free
100% recycled aluminum enclosure
35% or more recycled plastic in multiple components
100% of virgin wood fiber comes from responsibly managed forests
Apple's Zero Waste Program helps suppliers eliminate waste sent to landfill
100% recycled rare earth elements in all magnets
100% recycled tin in multiple printed circuit boards
100% recycled gold in the plating of multiple printed circuit boards
36% recycled or renewable content in the device
100% recycled copper in the finstack of the heat sink
100% fiber-based packaging
41% emissions reduction against baseline

Software

Platform Compatibility

Mac

Installed Operating System

Apple macOS Sonoma

Power

Power Device Location

External

Input Voltage

AC 100-240 V

Input Frequency

50/60 Hz

Included Power Adapter Output Power

140 W

Power Port Connector Type

USB-C

Battery

Battery Technology

Lithium Polymer

Battery Installed Quantity

1

Maximum Battery Supported Quantity

1

Battery Current Capacity

100 WHr

Dimensions&Weight Device

Depth (mm)

248.1 mm

Height (mm)

16.8 mm

Width (mm)

355.7 mm

Nominal Weight

2.14 kg

Environment

Maximum Operating Ambient Temperature

35 °C

Minimum Operating Ambient Temperature

10 °C

Maximum Non-Operating Ambient Temperature

45 °C

Minimum Non-Operating Ambient Temperature

-25 °C

Max. Relative Humidity Non-Condensing

90 %

Min. Relative Humidity Non-Condensing

0 %

Max. Altitude Operating

10000 ft

Max. Altitude Storage

15000 ft

Max. Altitude Shipping

35000 ft

Warranty

Warranty Products Returnable

Yes

Warranty Term (month)

12 month(s)

Warranty Validation Criteria

Serial Number

Logistic

Entity Code	All
Pack Weight Brutto (kg)	3 kg
Pack Weight Netto (kg)	2 kg
Pieces in pack	1
Box Weight Brutto (kg)	3 kg
Retail Packaging Net Weight Carton	1 kg
Retail Packaging Net Weight Plastic	1 kg
Packs in Box	1
Package Type	Box
EAN Code	195949075971

Please be informed that despite our best efforts we can't guarantee that published information and pictures do not contain deficiencies or errors that can not be legal basis for claims.