

Technical Specification

MU7J3HX/A

iPhone 15 Pro Max 1TB Natural Titanium,Model A3106 Brand: APPLE

EAN: 195949049934

Warranty: 12 month(s)

Basic Information	
Article Vendor Series Product Type	MU7J3HX/A APPLE iPhone 15 Pro Max iPhone
Display	
Display Size Display Resolution Brightness Image Contrast Pixel Density Display Technology Display Touchscreen Display Features	 6.70" 2796x1290 1000 cd/m^2 2 000 000:1 460 ppi OLED Capacitive, Haptic Touch Fingerprint-resistant oleophobic coating, Support for display of multiple languages and characters simultaneously, Wide color display (P3), True Tone display, HDR, Super Retina XDR Display, Always On Display, ProMotion technology with adaptive refresh rates up to 120Hz, Dynamic Island, 1600 nits peak brightness (ntdoor)
Processor	
CPU CPU Core Quantity	Apple A17 Pro 6
Memory	
Internal Memory Size	1 TB
Camera	
Camera Resolution	48 Mpixel + 12 Mpixel + 12 Mpixel

Video Record	3840x2160
Video Frame rate	24 fps , 25 fps , 30 fps , 60 fps , 120 fps , 240 fps
Camera System	Sapphire crystal lens cover Lens Correction (Ultra Wide) Photonic Engine Adaptive True Tone Flash 48MP Main: 24 mm, <i>f</i> /1.78 aperture, secondgeneration sensorshift optical image stabilization, 100% Focus Pixels, support for superhighresolution photos (24MP and 48MP) 12MP Ultra Wide: 13 mm, <i>f</i> /2.2 aperture and 120° field of view, 100% Focus Pixels 12MP 2x Telephoto (enabled by quadpixel sensor): 48 mm, <i>f</i> /1.78 aperture, secondgeneration sensorshift optical image stabilization, 100% Focus Pixels 5x optical zoom in, 2x optical zoom out; 10x optical zoom range 12MP 5x Telephoto: 120mm, <i>f</i> /2.8 aperture, 3D sensorshift optical image stabilisation and autofocus, tetraprism design
Camera Photo Features	Auto image stabilization Burst mode Macro mode Wide color capture for photos and Live Photos Portrait Lighting with Six Effects Night Mode Photo Geotagging Deep Fusion Apple ProRAW Panorama (up to 63MP) Photographic Styles Night mode portraits enabled by LiDAR Scanner Advanced red-eye correction Smart HDR 5 Next-generation portraits with Focus and Depth Control Customisable default lens (Main) Digital Zoom up to 25x
Camera Video Featuers	Audio Zoom Cinematic Video Stabilization Continuous Autofocus Video Stereo Recording Time-lapse Video with Stabilization Playback Zoom Night Mode Time-lapse QuickTake Video Take 8MP Still Photos While Recording 4K Video ProRes video recording Digital zoom up to 9x (Video) Cinematic mode up to 4K HDR at 30 fps Action mode up to 2.8K at 60 fps Second-generation Sensor-Shift Optical Image Stabilization for Video (Main) Macro video recording, including slo-mo and time-lapse HDR video recording with Dolby Vision up to 4K at 60 fps Slomo video support for 1080p at 120 fps or 240 fps 720p HD video recording at 30 fps

Flash Front Camera Front Flash Front Camera Features	Log video recording Academy Color Encoding System 3D sensor-shift optical image stabilisation and autofocus for video (Telephoto) 4K video recording at 24 fps, 25 fps, 30 fps or 60 fps 1080p HD video recording at 25 fps, 30 fps or 60 fps True Tone 12 Mpixel Retina Flash Auto image stabilization Burst mode Autofocus with Focus Pixels Wide color capture for photos and Live Photos
	Portrait Lighting with Six Effects Night Mode Time-lapse Video with Stabilization Animoji and Memoji Deep Fusion Night Mode Time-lapse Apple ProRAW Photographic Styles QuickTake Video Cinematic mode up to 4K HDR at 30 fps <i>f/</i> 1.9 Aperture Cinematic video stabilization (4K, 1080p, and 720p) Slomo video support for 1080p at 120 fps HDR video recording with Dolby Vision up to 4K at 60 fps 1080p HD video recording at 25 fps, 30 fps, or 60 fps 4K video recording at 24 fps, 25 fps, 30 fps, or 60 fps Photonic Engine Smart HDR 5 Next-generation portraits with Focus and Depth Control Lens correction ProRes video recording up to 4K at 60 fps with external recording Log video recording Academy Color Encoding System
Interfaces	
Bluetooth Wi-Fi Data Interface NFC	Bluetooth 5.3 IEEE 802.11ax Wi-Fi 6E USB Type C Yes
Network	
Bands	FDDLTE (Bands 1, 2, 3, 4, 5, 7, 8, 12, 13, 14, 17, 18, 19, 20, 25, 26, 28, 29, 30, 32, 66, 71), UMTS/HSPA+/DC-HSDPA (850, 900, 1700/2100, 1900, 2100 MHz), GSM/EDGE (850, 900, 1800, 1900 MHz), TD-LTE (Bands 34, 38, 39, 40, 41, 42, 46, 48, 53), Smartphone-5G NR (Bands n1, n2, n3, n5, n7, n8,

n12, n14, n20, n25, n26, n28, n29, n30, n38, n40, n41, n48, n53, n66, n70, n71, n77, n78, n79)

GPS, GLONASS, iBeacon, Digital compass, BeiDou, Galileo, QZSS, Wi-Fi, Cellular, NAVIC

GPS

	Mobile Data Optical zoom with rearfacing camera Magnet array Alignment magnet 6-core GPU Thread networking technology
Included Accessories	USB-C Charge Cable (1 m), iPhone, Documentation
Software	
Platform	iOS
Operating System Version	iOS 17
Voice Assistant	
Installed Voice Assistant	Siri
Voice Assistant Languages	Danish, Dutch, English, Finnish, French, German, Italian, Japanese, Korean, Russian, Swedish, Turkish, Norwegian, Brazil Portuguese, Mandarin Chinese, Cantonese, Arabic, Hebrew, Malay, Thai
Voice Assistant Features	Send messages, set reminders, and more by voice command Voice activation Music control Add Shortcuts to the frequently used apps Machine learning Use Hands-Free
Multimedia	
Supported Audio Formats	MP3, AAC, FLAC, Apple Lossless, Dolby Atmos, Dolby Digital, Dolby Digital Plus
Supported Picture Formats	GIF, JPG, TIFF
Supported Video Formats	H.264, HEVC, ProRes
Supported Documents Formats	DOC, PDF, XLS, TXT, DOCX, PPT, PPTX, RTF, XLSX, HTM, HTML, KEY, NUMBERS, PAGES, VCF, ZIP, ICS, USDZ
Dimensions & Weight Device	
Height	159.9 mm
Width	76.7 mm
Depth	8.25 mm
Weight	0.221 kg
Environment	
Maximum Operating Ambient Temperature	35 °C

Maximum Non-Operating Ambient Temperature	45 °C
Minimum Operating Ambient Temperature	0°0
Minimum Non-Operating Ambient Temperature	-20 °C
Max. Altitude Operating	3000 m
Warranty	
Warranty Products Returnable	Yes
Warranty Term (month)	12 month(s)
Warranty Validation Criteria	Serial Number
Logistic	
Pack Length (mm)	179.7 mm
Pack Width (mm)	95.9 mm
Pack Height (mm)	31.4 mm
Pack Weight Brutto (kg)	0.403 kg
Pieces in pack	1
Box Length (mm)	293.5 mm
Box Width (mm)	234.8 mm
Box Height (mm)	216.4 mm
Box Weight Brutto (kg)	5.009 kg
Packs in Box	10
Package Type	Retail
EAN Code	195949049934

Please be informed that despite our best efforts we can't guarantee that published information and pictures do not contain deficiencies or errors that can not be legal basis for claims.