

MC7U4ZE/A

13-inch MacBook Air: Apple M2 chip with 8-core CPU and 8-core GPU, 16GB, 256GB - Space Grey, Model A2681

Brand: APPLE

Warranty: 12 month(s)

Technical Specification

Processor

| | |
|-----------------------------|----------------------|
| CPU | Apple M2 |
| CPU Core Quantity | 8 |
| Neural Engine Core Quantity | 16 |
| Chipset | System on Chip (SoC) |

Memory

| | |
|------------------|----------|
| Memory Capacity | 16 GB |
| Memory Bandwidth | 100 GB/s |

Storage

| | |
|------------------|------------|
| Storage Capacity | 256 GB SSD |
|------------------|------------|

Audio Output

| | |
|-------------------|--------|
| Audio Output Mode | Stereo |
|-------------------|--------|

Display

| | |
|--------------------|---|
| Diagonal Length | 13.6" |
| Display Type | LCD |
| Type of Matrix | IPS |
| Display Color | Color |
| Maximum Resolution | 2560x1664 |
| Display Features | LED Backlight Retina Display Wide Color Gamut (P3) 500 nits Brightness True Tone technology 1 Billion Colors |

Video Output

| | |
|-------------------|---------------------|
| Video Memory Type | Shared Video Memory |
|-------------------|---------------------|

Networking Specifications

| | |
|-----------|--|
| Wi-Fi | IEEE 802.11a IEEE 802.11b IEEE 802.11g IEEE 802.11n Wi-Fi 4 IEEE 802.11ac Wi-Fi 5 IEEE 802.11ax Wi-Fi 6 |
| Bluetooth | Bluetooth 5.0 |

Interface Provided

| | |
|-------------------|----------------------|
| Thunderbolt/USB 4 | 2 (USB 4.0 (type C)) |
| Headphones | 1 (3.5-mm minijack) |

System

| | |
|----------------------|---|
| Custom Configuration | Custom |
| System Type | Notebook |
| Keyboard Features | Backlighting Ambient Light Sensor Force Touch Trackpad Magic Keyboard Force Click Accelerators Pressure-Sensitive Drawing Multi-Touch Gestures |
| Built-in Devices | Touch ID Four Speakers Voice Control VoiceOver Zoom Increase Contrast Reduce Motion Siri and Dictation Switch Control Closed Captions Text to Speech |
| Audio/Video Features | Support Thunderbolt 3 digital video output Support native DisplayPort output over USBC VGA, HDMI, DVI, and Thunderbolt 2 output supported using adapters (sold separately) Wide stereo sound Support for spatial audio when playing video with Dolby Atmos Hardware-accelerated H.264, HEVC, ProRes, and ProRes RAW Video decode engine Video encode engine ProRes encode and decode engine Spatial audio with dynamic head tracking when using AirPods (3rd generation), AirPods Pro, and AirPods Max |

Supported formats include HEVC, H.264, and ProRes HDR with Dolby Vision, HDR10, and HLG
Supported formats include AAC, MP3, Apple Lossless, FLAC, Dolby Digital, Dolby Digital Plus, and Dolby Atmos

Included Accessories

MacBook Air
USB-C Power Adapter
User Guide

Cable Included

USB-C to MagSafe 3 Cable

External Color

Space Gray

Features that Reduce Environmental Impact

Meets ENERGY STAR Requirements
Mercury-Free
PVC free
Arsenic-Free Display Glass
BFR Free
Beryllium-free
100% recycled aluminum enclosure
100% recycled tin in the solder of the main logic board
35% or more recycled plastic in multiple components
100% of virgin wood fiber comes from responsibly managed forests
100% recycled rare earth elements in all magnets, representing 98% of the rare earth elements in the device
90% or more fiber-based packaging
90% recycled steel in the battery tray

Software

Platform Compatibility

Mac

Installed Operating System

Apple macOS Sequoia

Power

Power Device Location

External

Input Voltage

AC 100-240 V

Input Frequency

50/60 Hz

Included Power Adapter Output Power

30 W

Power Port Quantity

1

Power Port Connector Type

MagSafe 3

Battery

Battery Technology

Lithium Polymer

Battery Installed Quantity

1

Battery Current Capacity

52.6 WHr

Dimensions&Weight Device

| | |
|----------------|----------|
| Depth (mm) | 215 mm |
| Height (mm) | 11.3 mm |
| Width (mm) | 304.1 mm |
| Nominal Weight | 1.24 kg |

Environment

| | |
|---|---------|
| Maximum Operating Ambient Temperature | 35 °C |
| Minimum Operating Ambient Temperature | 10 °C |
| Maximum Non-Operating Ambient Temperature | 45 °C |
| Minimum Non-Operating Ambient Temperature | -25 °C |
| Max. Relative Humidity Non-Condensing | 90 % |
| Min. Relative Humidity Non-Condensing | 0 % |
| Max. Altitude Operating | 3048 m |
| Max. Altitude Storage | 4572 m |
| Max. Altitude Shipping | 10668 m |

Warranty

| | |
|------------------------------|---------------|
| Warranty Products Returnable | Yes |
| Warranty Term (month) | 12 month(s) |
| Warranty Validation Criteria | Serial Number |

Logistic

| | |
|-------------------------|-----------|
| Entity Code | All |
| Pack Weight Brutto (kg) | 1.67 kg |
| Pack Weight Netto (kg) | 1.4195 kg |
| Pieces in pack | 1 |
| Box Weight Brutto (kg) | 1.67 kg |
| Packs in Box | 1 |
| Package Type | Retail |

Please be informed that despite our best efforts we can't guarantee that published information and pictures do not contain deficiencies or errors that can not be legal basis for claims.